

P17S Definition Drilling Results

Section	Hole_ID	Type	From_m	To_m	Length_m	Au_Leached_gpt	Au_gpt	TA	Vert_Depth	Release	Resource ¹	Note
42850	TYC0135	RC	24.00	31.00	7.00	0.91	0.94		21	2017	Out	
42850	TYD0034	DD	45.00	46.30	1.30	1.04	1.06		34	2017	Out	
42850	TYD0034	DD	52.00	53.00	1.00	3.45	3.51		39	2017	Out	
42850	TYD0040	DD	54.20	60.30	6.10	1.14	1.18		43	2017	Out	
42850	TYD0040	DD	62.30	64.30	2.00	0.84	0.87		48	2017	Out	
42850	TYD0031	DD	64.00	74.30	10.30	2.25	2.34		53	2017	Out	
42850	TYD0031	DD	79.80	82.35	2.55	0.50	0.53		62	2017	Out	
42850	TYD0039	DD	97.00	101.10	4.10	0.88	0.96		75	2017	Out	
42850	TYD0041	DD	106.00	118.45	12.45	7.42		Pending	84	2017	Out	Including 33.3 gpt from 108 m to 109.5 m and 12.0 gpt from 112 m to 113 m.
42850	TYD0041	DD	127.20	129.15	1.95	2.61		Pending	96	2017	Out	
42850	TYD0042	DD	117.00	120.00	3.00	0.75		Pending	91	2017	Out	
42850	TYD0042	DD	124.00	143.25	19.25	2.62		Pending	102	2017	Out	
42825	TYC0134	RC				NSR				2017	Out	
42825	TYD0030	DD	43.00	55.00	12.00	2.47	2.58		38	2017	Out	Including 11.2 gpt from 51 m to 52 m.
42825	TYD0030	DD	57.40	61.50	4.10	2.40	2.47		45	2017	Out	
42825	TYD0032	DD	83.00	85.50	2.50	3.22	3.45		62	2017	Out	Including 5.9 gpt from 83 m to 84 m.
42825	TYD0033	DD	99.40	107.50	8.10	1.40	1.43		77	2017	Out	
42825	TYD0033	DD	115.60	116.60	1.00	1.81	1.86		86	2017	Out	
42825	TYD0033	DD	119.60	124.00	4.40	0.91	0.92		90	2017	Out	
42825	TYD0038	DD	23.00	25.00	2.00	0.88	0.90		18	2017	Out	
42825	TYD0038	DD	107.00	111.00	4.00	1.09	1.12		81	2017	Out	
42825	TYD0038	DD	115.00	123.40	8.40	3.32	3.42		89	2017	Out	
42825	TYD0038	DD	127.50	134.00	6.50	1.44	1.49		97	2017	Out	
42800	TYC0132	RC	10.00	11.00	1.00	0.76	0.78		8	2017	Out	

Section	Hole_ID	Type	From_m	To_m	Length_m	Au_Leached_gpt	Au_gpt	TA	Vert_Depth	Release	Resource ¹	Note
42800	TYC0083	RC	27.00	28.00	1.00	8.41	8.54		22	2017	Out	
42800	TYC0133	RC	30.00	43.00	13.00	3.30	3.41		30	2017	Out	Including 9.2 gpt from 42 m to 43 m.
42800	TYD0023	DD	44.00	52.50	8.50	4.48	4.65		38	2017	Out	Including 17.6 gpt from 49.35 m to 50.35 m.
42800	TYD0028	DD	79.00	84.75	5.75	1.60	1.64		63	2017	Out	
42800	TYD0029	DD	75.80	79.80	4.00	2.96	3.09		59	2017	Out	
42800	TYD0029	DD	85.00	86.00	1.00	1.55	1.57		65	2017	Out	
42800	TYD0029	DD	91.60	99.90	8.30	3.91	4.07		73	2017	Out	
42800	TYD0037	DD	13.00	14.00	1.00	0.45	0.47		10	2017	Out	
42800	TYD0037	DD	18.80	19.60	0.80	2.60	2.73		15	2017	Out	
42800	TYD0037	DD	99.00	117.20	18.20	1.44	1.49		82	2017	Out	
42800	TYD0037	DD	120.00	122.55	2.55	1.22	1.27		90	2017	Out	
42800	TYD0043	DD	53.30	55.30	2.00	0.57		Pending	41	2017	Out	
42800	TYD0043	DD	58.30	61.20	2.90	4.16		Pending	45	2017	Out	
42800	TYD0043	DD	108.45	111.40	2.95	2.44		Pending	83	2017	Out	Including 5.1 gpt from 110.45 m to 111.4 m
42775	TYC0131	RC	11.00	24.00	13.00	2.31	2.39		14	2017	Out	
42775	TYC0082	RC	20.00	32.00	12.00	3.58	3.68		20	2017	Out	Including 10.4 gpt from 26 m to 27 m
42775	TYD0044	DD	34.75	40.60	5.85	5.20		Pending	28	2017	Out	Including 6.3 gpt from 36.75 m to 40.6 m
42775	TYD0025	DD	12.00	13.60	1.60	1.11	1.17		10	2017	Out	
42775	TYD0025	DD	51.00	57.00	6.00	1.81	1.88		41	2017	Out	Including 5.3 gpt from 52 m to 53 m
42775	TYD0026	DD	82.00	87.00	5.00	1.00	1.03		64	2017	Out	
42775	TYD0027	DD	79.00	85.35	6.35	1.36	1.48		63	2017	Out	
42775	TYD0027	DD	88.40	98.00	9.60	3.82	4.02		70	2017	Out	Including 19.4 gpt from 90.5 m to 91.5 m
42775	TYD0036	DD	22.00	25.00	3.00	1.10	1.15		18	2017	Out	
42775	TYD0036	DD	33.00	37.00	4.00	0.94	0.99		28	2017	Out	

Section	Hole_ID	Type	From_m	To_m	Length_m	Au_Leached_gpt	Au_gpt	TA	Vert_Depth	Release	Resource ¹	Note
42775	TYD0036	DD	86.00	93.90	7.90	0.52	0.53		69	2017	Out	
42775	TYD0036	DD	103.30	110.30	7.00	6.68	6.94		81	2017	Out	Including 13.9 gpt from 106.3 m to 107.3 m
42750	TYC0130	RC	6.00	18.00	12.00	3.48	3.68		9	2017	Out	
42750	TYC0077	RC	16.00	22.00	6.00	3.33	3.45		14	2013	In	Including 4.7 gpt from 18 m to 21 m
42750	TYD0024	DD	44.90	48.00	3.10	3.57	3.68		35	2017	In	Including 4.7 gpt from 44.9 m to 46.9 m
42750	TYD0022	DD	72.00	79.00	7.00	1.94	1.97		59	2014	In	Including 6.5 gpt from 73 m to 75 m
42750	TYD0015	DD	65.00	83.00	18.00	2.36	2.46		57	2014	In	
42750	TYD0035	DD	4.30	7.00	2.70	0.88	0.91		5	2017	Out	
42750	TYD0035	DD	12.00	16.00	4.00	0.74	0.78		11	2017	Out	
42750	TYD0035	DD	18.00	21.50	3.50	1.41	1.49		16	2017	Out	Including 3.5 gpt from 19.45 m to 20.5 m
42750	TYD0035	DD	65.00	67.00	2.00	0.53	0.56		50	2017	Out	
42750	TYD0035	DD	71.10	74.00	2.90	3.30	3.36		55	2017	Out	
42750	TYD0035	DD	85.00	90.50	5.50	7.33	7.62		67	2017	Out	Including 12.5 gpt from 87.3 to 89.3
42750	TYD0035	DD	93.70	94.40	0.70	2.41	2.49		71	2017	Out	
42725	TYD0012	DD	17.00	22.00	5.00	1.86	1.92		15	2013	In	
42725	TYC0076	RC	34.00	37.00	3.00	2.99	3.10		27	2013	In	
42725	TDD0001	DD	47.00	52.00	5.00	3.57	3.68		37	2012	In	Including 5.8 gpt from 47 m to 49 m
42725	TYD0013	DD	39.00	51.00	12.00	1.95	2.04		35	2013	In	
42725	TYD0013	DD	53.00	55.00	2.00	4.10	4.27		42	2013	In	
42725	TDD0002	DD	54.00	57.00	3.00	2.08	2.13		43	2012	In	
42725	TDD0002	DD	70.00	74.00	4.00	5.25	5.67		56	2012	In	Including 6.5 gpt from 70 m to 73 m
42725	TYD0014	DD	54.00	55.00	1.00	4.62	4.74		43	2013	In	
42725	TYD0014	DD	75.00	81.00	6.00	2.76	2.83		61	2013	In	
42700	TYC0129	RC	5.00	9.00	4.00	1.44	1.52		6	2017	In	
42700	TYC0075	RC	22.00	27.00	5.00	3.43	3.60		19	2013	In	Including 4.8 gpt from 23 m to 26 m

Section	Hole_ID	Type	From_m	To_m	Length_m	Au_Leached_gpt	Au_gpt	TA	Vert_Depth	Release	Resource ¹	Note
42700	TYD0021	DD	41.00	46.00	5.00	0.63	0.66		32	2014	In	
42700	TYD0045	DD	35.00	44.50	9.50	3.31		Pending	30	2017	In	Including 4.8 gpt from 37 m to 43 m
42700	TYD0045	DD	57.00	62.10	5.10	2.53		Pending	46	2017	Out	
42700	TYD0020	DD	31.00	42.00	11.00	2.08	2.09		28	2014	In	
42700	TYD0020	DD	48.00	52.00	4.00	2.99	3.02		38	2014	In	
42700	TYD0047	DD	40.50	43.20	2.70	0.93		Pending	33	2017	In	
42700	TYD0047	DD	47.75	50.00	2.25	1.32		Pending	38	2017	In	
42700	TYD0047	DD	58.00	65.20	7.20	1.41		Pending	48	2017	In	
42700	TYD0019	DD	34.00	39.00	5.00	0.99	1.22		30	2014	In	
42700	TYD0019	DD	56.00	61.00	5.00	2.39	2.72		47	2014	In	
42700	TYD0048	DD	5.50	10.50	5.00	1.60		Pending	6	2017	Out	
42700	TYD0048	DD	46.55	49.90	3.35	3.05		Pending	37	2017	In	
42700	TYD0018	DD	34.00	36.00	2.00	2.60	2.72		28	2014	In	
42700	TYD0018	DD	61.00	64.00	3.00	3.50	3.65		49	2014	In	
42700	TYD0049	DD	47.40	50.00	2.60	1.14		Pending	37	2017	Out	
42700	TYD0049	DD	59.00	64.00	5.00	1.44		Pending	47	2017	Out	
42700	TYD0049	DD	71.30	74.70	3.40	0.45		Pending	55	2017	Out	
42675	TYC0074	RC	14.00	19.00	5.00	3.45	3.44		12	2013	In	Including 4.9 gpt from 15 m to 18 m
42675	TYD0008	DD	16.00	24.00	8.00	3.55	3.78		15	2013	In	
42675	TYD0008	DD	37.00	40.00	3.00	3.60	3.67		29	2013	In	
42675	TYC0073	RC	13.00	21.00	8.00	1.85	1.94		14	2013	In	
42675	TYC0073	RC	25.00	29.00	4.00	1.56	1.59		21	2013	In	
42675	TYC0073	RC	31.00	36.00	5.00	3.10	3.26		27	2013	In	Including 7.1 gpt from 32 m to 33 m
42675	TYC0073	RC	46.00	48.00	2.00	0.97	0.99		37	2013	In	
42675	TYD0009	DD	28.00	36.00	8.00	2.82	2.91		25	2013	In	
42675	TYC0072	RC	22.00	26.00	4.00	1.73	1.77		18	2013	In	
42675	TYC0072	RC	36.00	49.00	13.00	2.95	3.04		33	2013	In	Including 8.7 gpt from 39 m to 40 m

Section	Hole_ID	Type	From_m	To_m	Length_m	Au_Leached_gpt	Au_gpt	TA	Vert_Depth	Release	Resource ¹	Note
42675	TYD0010	DD	26.00	32.00	6.00	5.01	5.30		24	2013	In	
42675	TYC0071	RC	39.00	42.00	3.00	3.77	3.83		33	2013	In	
42675	TYD0011	DD	28.00	29.00	1.00	3.21	1.63		22	2013	In	
42675	TYD0011	DD	40.00	48.00	8.00	1.45	1.63		35	2013	In	
42675	TYD0011	DD	56.00	57.00	1.00	1.32	1.63		46	2013	In	
42650	TYC0125	RC	9.00	13.00	4.00	0.45	0.47		11	2017	In	
42650	TYC0126	RC	5.00	9.00	4.00	1.66	1.72		8	2017	In	Including 3.0 gpt from 5 m to 7 m
42650	TYC0126	RC	13.00	15.00	2.00	0.50	0.53		13	2017	In	
42650	TYC0126	RC	23.00	29.00	6.00	3.82	3.94		23	2017	Out	Including 6.4 gpt from 23 m to 26 m
42650	TYC0127	RC	8.00	10.00	2.00	3.22	3.34		7	2017	In	
42650	TYC0127	RC	13.00	16.00	3.00	3.11	3.23		11	2017	In	
42650	TYD0017	DD	15.00	27.00	12.00	2.46	2.62		17	2014	In	Including 4.4 gpt from 19 m to 24 m
42650	TYC0081	RC	4.00	7.00	3.00	1.92	1.95		5	2017	In	
42650	TYC0081	RC	10.00	13.00	3.00	2.62	2.65		10	2017	In	
42650	TYC0081	RC	24.00	38.00	14.00	5.74	5.88		25	2017	Out	Including 12.0 gpt from 26 m to 28 m
42650	TYD0016	DD	14.00	21.50	7.50	4.03	4.33		15	2014	In	Including 7.9 gpt from 18.5 m to 21.5 m
42650	TYC0128	RC	4.00	10.00	6.00	3.89	3.98		6	2017	In	Including 16.7 gpt from 6 m to 7 m
42650	TYC0128	RC	34.00	38.00	4.00	1.27	1.33		29	2017	In	
42650	TYD0007	DD	20.00	22.00	2.00	3.46	2.99		29	2013	In	
42650	TYD0007	DD	39.00	43.00	4.00	2.99	3.09		29	2013	In	
42650	TYD0007	DD	47.00	50.00	3.00	3.81	2.87		29	2013	In	
42650	TYD0046	DD	35.00	52.50	17.50	2.44		Pending	36	2017	Out	Including 6.5 gpt from 49 m to 52.5 m
42637.5	TYC0136	RC				NSR				2017	In	
42625	TYC0137	RC	0.00	4.00	4.00	0.40	0.41		4	2017	Out	
42625	TYC0122	RC	11.00	13.00	2.00	1.48	1.52		10	2017	Out	
42625	TYC0123	RC	11.00	18.00	7.00	7.26	7.49		12	2017	Out	

Section	Hole_ID	Type	From_m	To_m	Length_m	Au_Leached_gpt	Au_gpt	TA	Vert_Depth	Release	Resource ¹	Note
42625	TYC0144	RC	3.00	6.00	3.00	0.69		Pending	4	2017	In	Mix of overburden and MI3
42625	TYC0080	RC	14.00	19.00	5.00	2.06	2.13		12	2017	In	
42625	TYC0124	RC	25.00	27.00	2.00	4.75	4.85		21	2017	In	Including 7.6 gpt from 26 m to 27 m
42625	TDD0003	DD	11.00	13.00	2.00	1.63	1.71		9	2012	In	
42625	TDD0003	DD	20.00	22.00	2.00	1.58	1.63		21	2012	In	
42625	TDD0003	DD	24.00	34.00	10.00	2.52	2.67		25	2012	In	Including 11.2 gpt from 31 m to 32 m
42625	TYC0079	RC				NSR				2017	Out	Outside of the folded granodiorite
42612.5	TYC0138	RC	0.00	9.00	9.00	4.73	4.87		6	2017	Out	Including 12.8 gpt from 1 m to 2 m
42612.5	TYC0139	RC	8.00	15.00	7.00	5.15	5.31		9	2017	Out	Including 11.1 gpt from 11 m to 12 m
42612.5	TYC0143	RC				NSR				2017	Out	
42612.5	TYC0140	RC	3.00	7.00	4.00	0.84	0.85		4	2017	In	
42612.5	TYC0140	RC	13.00	18.00	5.00	3.46	3.55		12	2017	In	
42612.5	TYC0121	RC	0.00	8.00	8.00	1.72	1.77		5	2017	In	
42612.5	TYC0121	RC	10.00	14.00	4.00	1.19	1.23		10	2017	In	
42612.5	TYC0121	RC	19.00	25.00	6.00	7.36	7.69		18	2017	In	
42600	TYC0141	RC				NSR				2017	Out	
42600	TYC0078	RC	4.00	7.00	3.00	3.79	3.92		4	2017	In	Minimum width, in the west wall of an artisan miner's excavation
42600	TYD0004	DD	29.00	30.00	1.00	0.50	0.53			2013	In	
42587.5	TYC0142	RC				NSR				2017	Out	Outside of the folded granodiorite

Note: Intervals reported over a minimum cut-off of 0.45 gpt. NSR: No Significant Result.

Resource¹ Position of the drill intercept with respect to the current resource model.

TA: Leach Residue Assays Status.

Scout Drilling Holes Drilled On Resistive Lineaments Located to the East of P17S

Section	Hole_ID	Type	From_m	To_m	Length_m	Au_Leached_gpt	Au_gpt	TA	Vert_Depth	Release	Resource	Note
43000	TYC0149	RC				NSR				2017		Resistive lineament: silicified zone with 0.5-1% fine PY from 27 m to 45 m

Section	Hole_ID	Type	From_m	To_m	Length_m	Au_Leached_gpt	Au_gpt	TA	Vert_Depth	Release	Resource ¹	Note
42950	TYC0148	RC				NSR				2017		Resistive lineament
42600	TYC0147	RC				NSR				2017		Resistive lineament: silicified zone with 1-2% fine PY from 27 m to 52 m
42550	TYC0145	RC				NSR				2017		Resistive lineament
42400	TYC0146	RC				NSR				2017		Resistive lineament

NSR: No Significant Result.